

CRAWLER CRANE

LIFTING LOAD CHART

地址：湖南省长沙市远大二路1636号中联重科泉塘工业园
Email: gq_scimd@zoomlion.com

邮编：410131
电话：400-800-0157

中联重科股份有限公司



中联重科


ZOOMLION

ZCC9800W CRAWLER CRANE LIFTING LOAD CHART

2/2020

Chapter I Important Note

1. This manual is an important part of the crane! Please be with you at all times!
2. The value of the rated lifting capacity shown in the table refers to what the machine can guarantee on a solid, flat (no sag during operation) and a slope of less than 1% under the given boom length and amplitude conditions. The maximum lifting capacity (except for special remarks), it is strictly prohibited to exceed the lifting capacity. In addition, the operator must limit or reduce the lifting weight of the crane according to various unfavorable conditions (such as soft or uneven ground, various level conditions, wind, side load, swing action, and combined lifting of multiple cranes). If conditions permit, the foundation should be higher requirements are carried out to ensure a richer safety factor during crane hoisting.
3. Please follow the crane operating regulations!
4. The working range in the table of this manual refers to the horizontal distance from the vertical line of the hook to the center of rotation after lifting, and is the actual value including the deformation of the boom.
5. There is no blank area with rated values in the table, which means that cranes are not allowed to be used for operations in this area.
6. The rated lifting weight listed in the table includes the weight of the hook, the spreader and the lifting wire rope between the boom head and the hook. The density of the hoisting wire rope is 4.05 kg/m, the user can calculate the weight of the wire rope according to the actual hoisting magnification and the lifting height.



ZOOMLION

**Superlift Power Boom + Wind Power Jib
(Working mode: SLHSDB-1)**



Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	108m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	169	19
20	180	180	180	180	180	180	160	20
22	180	180	180	180	180	180	144	22
24	180	180	180	180	180	168	129	24
26	179	179	179	179	179	153	116	26
28	176	176	176	176	173	139	104	28
30	174	174	174	174	158	126	94.9	30
32	171	171	171	171	144	115	86.1	32
34	169	169	169	160	132	105	77.8	34
36	166	166	166	147	121	96.1	70.5	36
38	164	164	160	136	112	88.2	64.1	38
40	162	162	149	126	104	81.1	58.4	40
44	157	151	130	110	89.6	69.2	48.7	44
48	152	133	115	96.5	77.9	59.4	40.8	48
52	136	119	102	85.2	68.2	51.2	34.2	52
56	122	107	91.3	75.6	59.9	44.3	28.6	56
60	111	96.5	81.9	67.4	52.9	38.3	23.8	60
64	101	87.4	73.8	60.3	46.7	33.2	19.6	64
68	92.2	79.5	66.8	54	41.3	28.6	15.9	68
72	84.4	72.4	60.5	48.5	36.6	24.6	12.7	72
76	77.5	66.2	54.9	43.6	32.3	21	9.7	76
80	71.3	60.6	49.9	39.2	28.5	17.8	7.1	80
84	65.7	55.5	45.3	35.2	25	14.9		84
88	60.6	50.9	41.2	31.6	21.9	12.2		88
92	55.9	46.7	37.5	28.3	19	9.8		92
96	51.7	42.9	34	25.2	16.4	7.6		96
100	47.8	39.3	30.8	22.4	13.9	5.5		100

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	111m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	167	19
20	180	180	180	180	180	180	158	20
22	180	180	180	180	180	180	142	22
24	180	180	180	180	180	166	128	24
26	180	180	180	180	180	152	115	26
28	177	177	177	177	172	138	104	28
30	174	174	174	174	157	126	94.2	30
32	172	172	172	172	144	115	85.7	32
34	169	169	169	159	132	105	77.5	34
36	167	167	167	147	121	95.8	70.2	36
38	164	164	160	136	112	87.9	63.8	38
40	162	162	149	126	103	80.8	58.1	40
44	158	150	130	109	89.3	68.8	48.4	44
48	152	133	114	96.1	77.6	59	40.5	48
52	136	119	102	84.8	67.9	50.9	33.9	52
56	122	106	90.9	75.3	59.6	43.9	28.3	56
60	110	96.1	81.6	67.1	52.5	38	23.4	60
64	100	87.1	73.5	59.9	46.4	32.8	19.3	64
68	91.8	79.1	66.4	53.7	41	28.3	15.6	68
72	84	72.1	60.1	48.2	36.2	24.3	12.3	72
76	77.1	65.8	54.5	43.3	32	20.7	9.4	76
80	70.9	60.2	49.5	38.8	28.1	17.5	6.8	80
84	65.3	55.2	45	34.8	24.7	14.5		84
88	60.2	50.6	40.9	31.2	21.6	11.9		88
92	55.6	46.4	37.1	27.9	18.7	9.5		92
96	51.3	42.5	33.7	24.9	16.1	7.2		96
100	47.4	39	30.5	22.1	13.6	5.2		100
104	43.8	35.7	27.6	19.5	11.4			104

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	114m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	165	19
20	180	180	180	180	180	180	156	20
22	180	180	180	180	180	180	141	22
24	180	180	180	180	180	164	127	24
26	180	180	180	180	180	150	114	26
28	178	178	178	178	170	136	102	28
30	175	175	175	175	156	124	93	30
32	173	173	173	173	143	114	84.6	32
34	170	170	170	158	131	104	76.6	34
36	168	168	168	146	120	95	69.4	36
38	165	165	159	135	111	87	62.9	38
40	163	163	148	125	102	79.9	57.2	40
44	159	149	129	109	88.4	67.9	47.5	44
48	151	132	114	95.2	76.7	58.1	39.6	48
52	135	118	101	83.9	66.9	49.9	32.9	52
56	121	105	90	74.3	58.6	43	27.3	56
60	109	95.2	80.6	66.1	51.6	37	22.5	60
64	99.7	86.1	72.5	59	45.4	31.8	18.3	64
68	90.8	78.1	65.4	52.7	40	27.3	14.6	68
72	83.1	71.1	59.1	47.2	35.2	23.3	11.3	72
76	76.1	64.8	53.6	42.3	31	19.7	8.4	76
80	69.9	59.2	48.5	37.9	27.2	16.5	5.8	80
84	64.3	54.2	44	33.9	23.7	13.6		84
88	59.2	49.6	39.9	30.2	20.6	10.9		88
92	54.6	45.4	36.2	26.9	17.7	8.5		92
96	50.4	41.5	32.7	23.9	15.1	6.2		96
100	46.4	38	29.5	21.1	12.6			100
104	42.8	34.7	26.6	18.5	10.4			104

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	117m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	163	19
20	180	180	180	180	180	180	154	20
22	180	180	180	180	180	179	139	22
24	180	180	180	180	180	163	126	24
26	180	180	180	180	180	149	113	26
28	179	179	179	179	169	135	102	28
30	176	176	176	176	155	123	92.3	30
32	173	173	173	172	142	113	83.9	32
34	171	171	171	158	131	103	76.4	34
36	169	169	169	146	120	94.7	69.1	36
38	166	166	159	135	111	86.7	62.6	38
40	164	164	148	125	102	79.6	56.9	40
44	160	149	129	108	88	67.6	47.2	44
48	150	132	113	94.9	76.3	57.8	39.2	48
52	134	117	100	83.6	66.6	49.6	32.6	52
56	121	105	89.6	74	58.3	42.6	27	56
60	109	94.8	80.3	65.8	51.2	36.7	22.1	60
64	99.3	85.7	72.2	58.6	45.1	31.5	17.9	64
68	90.5	77.8	65.1	52.4	39.7	26.9	14.2	68
72	82.7	70.7	58.8	46.8	34.9	22.9	11	72
76	75.8	64.5	53.2	41.9	30.6	19.3	8.1	76
80	69.6	58.9	48.2	37.5	26.8	16.1	5.4	80
84	64	53.8	43.7	33.5	23.4	13.2		84
88	58.9	49.2	39.5	29.9	20.2	10.6		88
92	54.2	45	35.8	26.6	17.4	8.1		92
96	50	41.2	32.4	23.5	14.7	5.9		96
100	46.1	37.6	29.2	20.7	12.3			100
104	42.5	34.4	26.3	18.2	10			104
108	39.1	31.3	23.5	15.7	7.9			108

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	120m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	162	19
20	180	180	180	180	180	180	153	20
22	180	180	180	180	180	177	138	22
24	180	180	180	180	180	161	125	24
26	180	180	180	180	180	148	112	26
28	179	179	179	179	167	135	101	28
30	176	176	176	176	154	123	91.8	30
32	174	174	174	171	142	112	83.4	32
34	171	171	171	158	131	103	76	34
36	169	169	169	146	120	94.6	69	36
38	167	167	159	135	110	86.6	62.6	38
40	165	165	147	125	102	79.6	56.8	40
44	161	149	129	108	88	67.5	47.1	44
48	150	132	113	94.8	76.2	57.7	39.1	48
52	134	117	100	83.5	66.5	49.5	32.5	52
56	121	105	89.6	73.9	58.2	42.5	26.9	56
60	109	94.7	80.2	65.7	51.1	36.6	22	60
64	99.2	85.7	72.1	58.5	45	31.4	17.8	64
68	90.4	77.7	65	52.3	39.6	26.9	14.1	68
72	82.6	70.7	58.7	46.7	34.8	22.8	10.9	72
76	75.7	64.4	53.1	41.8	30.5	19.2	8	76
80	69.5	58.8	48.1	37.4	26.7	16	5.3	80
84	63.9	53.7	43.6	33.4	23.3	13.1		84
88	58.8	49.1	39.5	29.8	20.1	10.5		88
92	54.2	44.9	35.7	26.5	17.3	8.1		92
96	49.9	41.1	32.3	23.5	14.6	5.8		96
100	46	37.6	29.1	20.7	12.2			100
104	42.4	34.3	26.2	18.1	10			104
108	39.1	31.3	23.5	15.7	7.9			108
112	36	28.5	21	13.4	5.9			112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	123m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	160	20
20	180	180	180	180	180	180	152	
22	180	180	180	180	180	176	137	22
24	180	180	180	180	180	160	124	24
26	180	180	180	180	180	146	111	26
28	180	180	180	180	166	134	100	28
30	177	177	177	177	153	122	91	30
32	175	175	175	170	141	112	82.6	32
34	172	172	172	158	130	103	75.3	34
36	170	170	170	145	120	94.2	68.6	36
38	168	168	158	134	110	86.3	62.2	38
40	166	166	147	124	102	79.2	56.5	40
44	162	149	128	108	87.6	67.1	46.7	44
48	150	131	113	94.4	75.8	57.3	38.7	48
52	134	117	100	83.1	66.1	49.1	32.1	52
56	120	105	89.1	73.5	57.8	42.1	26.5	56
60	109	94.3	79.8	65.2	50.7	36.2	21.6	60
64	98.8	85.2	71.7	58.1	44.5	31	17.4	64
68	90	77.3	64.6	51.8	39.1	26.4	13.7	68
72	82.2	70.2	58.3	46.3	34.4	22.4	10.5	72
76	75.3	64	52.7	41.4	30.1	18.8	7.5	76
80	69	58.4	47.7	37	26.3	15.6		80
84	63.4	53.3	43.1	33	22.8	12.7		84
88	58.4	48.7	39	29.4	19.7	10		88
92	53.7	44.5	35.3	26.1	16.8	7.6		92
96	49.5	40.7	31.9	23	14.2	5.4		96
100	45.6	37.2	28.7	20.3	11.8			100
104	42	33.9	25.8	17.7	9.6			104
108	38.7	30.9	23.1	15.3	7.5			108
112	35.6	28.1	20.5	13	5.5			112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	126m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	158	20
20	180	180	180	180	180	180	150	
22	180	180	180	180	180	173	135	22
24	180	180	180	180	180	158	122	24
26	180	180	180	180	178	144	110	26
28	180	180	180	180	164	132	99.3	28
30	178	178	178	178	152	121	89.8	30
32	175	175	175	169	140	110	81.4	32
34	173	173	173	156	129	101	74.1	34
36	171	171	170	144	119	93.4	67.6	36
38	168	168	157	133	109	85.4	61.3	38
40	166	166	146	123	101	78.3	55.5	40
44	162	148	127	107	86.6	66.2	45.8	44
48	149	130	112	93.4	74.9	56.3	37.8	48
52	133	116	99.1	82.1	65.1	48.1	31.1	52
56	119	104	88.2	72.5	56.8	41.2	25.5	56
60	108	93.3	78.8	64.3	49.7	35.2	20.6	60
64	97.8	84.2	70.7	57.1	43.5	30	16.4	64
68	89	76.3	63.6	50.8	38.1	25.4	12.7	68
72	81.2	69.2	57.3	45.3	33.4	21.4	9.4	72
76	74.2	63	51.7	40.4	29.1	17.8	6.5	76
80	68	57.3	46.7	36	25.3	14.6		80
84	62.4	52.3	42.1	32	21.8	11.7		84
88	57.4	47.7	38	28.4	18.7	9		88
92	52.7	43.5	34.3	25.1	15.8	6.6		92
96	48.5	39.7	30.8	22	13.2			96
100	44.6	36.1	27.7	19.2	10.8			100
104	41	32.9	24.8	16.7	8.5			104
108	37.7	29.9	22.1	14.3	6.5			108
112	34.6	27	19.5	12				112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	129m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	156	20
20	180	180	180	180	180	180	148	20
22	180	180	180	180	180	172	133	22
24	180	180	180	180	180	156	121	24
26	180	180	180	180	176	143	109	26
28	180	180	180	180	163	131	98.5	28
30	178	178	178	178	151	120	89	30
32	176	176	176	168	139	110	80.8	32
34	174	174	174	155	128	101	73.5	34
36	171	171	170	144	118	92.8	67	36
38	169	169	157	133	109	85.1	61	38
40	167	167	146	123	100	78	55.2	40
44	163	147	127	106	86.3	65.9	45.5	44
48	148	130	111	93.1	74.6	56	37.5	48
52	132	115	98.7	81.7	64.8	47.8	30.8	52
56	119	103	87.8	72.1	56.5	40.8	25.1	56
60	107	93	78.4	63.9	49.4	34.8	20.3	60
64	97.4	83.9	70.3	56.7	43.2	29.6	16.1	64
68	88.6	75.9	63.2	50.5	37.8	25.1	12.4	68
72	80.8	68.9	56.9	44.9	33	21	9.1	72
76	73.9	62.6	51.3	40	28.7	17.4	6.2	76
80	67.7	57	46.3	35.6	24.9	14.2		80
84	62.1	51.9	41.8	31.6	21.5	11.3		84
88	57	47.3	37.7	28	18.3	8.7		88
92	52.4	43.1	33.9	24.7	15.5	6.2		92
96	48.1	39.3	30.5	21.7	12.8			96
100	44.2	35.8	27.3	18.9	10.4			100
104	40.6	32.5	24.4	16.3	8.2			104
108	37.3	29.5	21.7	13.9	6.1			108
112	34.2	26.7	19.2	11.7				112
116	31.3	24.1	16.8	9.6				116
120	28.6	21.6	14.6	7.6				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	132m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
20	173	173	173	173	173	173	147	20
22	173	173	173	173	173	170	132	22
24	173	173	173	173	173	155	120	24
26	173	173	173	173	173	142	108	26
28	173	173	173	173	161	130	97.8	28
30	173	173	173	173	150	119	88.4	30
32	173	173	173	166	138	109	80.2	32
34	173	173	173	155	127	100	72.9	34
36	172	172	169	144	118	92.3	66.5	36
38	170	170	157	133	109	84.9	60.7	38
40	167	167	146	123	100	77.8	55.1	40
44	164	147	127	106	86.2	65.7	45.3	44
48	148	130	111	92.9	74.4	55.8	37.3	48
52	132	115	98.6	81.6	64.6	47.6	30.6	52
56	119	103	87.6	72	56.3	40.6	25	56
60	107	92.8	78.3	63.7	49.2	34.6	20.1	60
64	97.3	83.7	70.1	56.6	43	29.5	15.9	64
68	88.4	75.7	63	50.3	37.6	24.9	12.2	68
72	80.6	68.7	56.7	44.8	32.8	20.9	8.9	72
76	73.7	62.4	51.1	39.9	28.6	17.3	6	76
80	67.5	56.8	46.1	35.4	24.7	14.1		80
84	61.9	51.7	41.6	31.4	21.3	11.1		84
88	56.8	47.2	37.5	27.8	18.2	8.5		88
92	52.2	43	33.7	24.5	15.3	6.1		92
96	48	39.1	30.3	21.5	12.7			96
100	44.1	35.6	27.2	18.7	10.3			100
104	40.5	32.4	24.3	16.1	8			104
108	37.2	29.4	21.6	13.8	6			108
112	34.1	26.6	19	11.5				112
116	31.2	23.9	16.7	9.5				116
120	28.5	21.5	14.5	7.5				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift radius 17m Wind power jib : 7m								
Boom length	135m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
20	162	162	162	162	162	162	145	20
22	162	162	162	162	162	162	131	22
24	162	162	162	162	162	154	119	24
26	162	162	162	162	162	141	108	26
28	162	162	162	162	160	129	97	28
30	162	162	162	162	148	118	87.6	30
32	162	162	162	162	137	108	79.5	32
34	162	162	162	154	126	99.4	72.2	34
36	162	162	162	143	117	91.5	65.8	36
38	162	162	157	132	108	84.4	60	38
40	162	162	145	123	100	77.4	54.7	40
44	161	147	126	106	85.8	65.3	44.9	44
48	148	129	111	92.5	74	55.4	36.9	48
52	132	115	98.2	81.2	64.2	47.2	30.2	52
56	118	103	87.2	71.5	55.9	40.2	24.5	56
60	107	92.4	77.8	63.3	48.8	34.2	19.7	60
64	96.8	83.3	69.7	56.1	42.6	29	15.5	64
68	88	75.3	62.6	49.9	37.2	24.5	11.8	68
72	80.2	68.3	56.3	44.3	32.4	20.4	8.5	72
76	73.3	62	50.7	39.4	28.1	16.8	5.5	76
80	67.1	56.4	45.7	35	24.3	13.6		80
84	61.5	51.3	41.2	31	20.8	10.7		84
88	56.4	46.7	37	27.4	17.7	8.1		88
92	51.8	42.5	33.3	24.1	14.9	5.6		92
96	47.5	38.7	29.9	21.1	12.2			96
100	43.6	35.2	26.7	18.3	9.8			100
104	40	31.9	23.8	15.7	7.6			104
108	36.7	28.9	21.1	13.3	5.5			108
112	33.6	26.1	18.6	11.1				112
116	30.8	23.5	16.3	9				116
120	28.1	21.1	14.1	7.1				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight 60t Superlift counterweight 17m Wind power jib : 7m								
Boom length	138m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	157	157	157	157	157	157	129	22
24	157	157	157	157	157	152	117	24
26	158	158	158	158	158	139	106	26
28	158	158	158	158	158	128	95.7	28
30	158	158	158	158	146	117	86.4	30
32	157	157	157	157	136	107	78.2	32
34	155	155	155	152	125	98.2	71	34
36	153	153	153	141	116	90.2	64.6	36
38	151	151	151	131	107	83.2	58.9	38
40	149	149	144	122	99.2	76.5	53.7	40
44	146	146	125	105	84.8	64.4	43.9	44
48	143	128	110	91.6	73	54.5	35.9	48
52	131	114	97.2	80.2	63.2	46.2	29.2	52
56	117	102	86.2	70.5	54.9	39.2	23.5	56
60	106	91.4	76.8	62.3	47.7	33.2	18.7	60
64	95.8	82.2	68.7	55.1	41.6	28	14.4	64
68	87	74.3	61.6	48.8	36.1	23.4	10.7	68
72	79.2	67.2	55.3	43.3	31.3	19.4	7.4	72
76	72.2	60.9	49.7	38.4	27.1	15.8		76
80	66	55.3	44.6	33.9	23.3	12.6		80
84	60.4	50.3	40.1	30	19.8	9.7		84
88	55.3	45.7	36	26.3	16.7	7		88
92	50.7	41.5	32.3	23	13.8			92
96	46.5	37.7	28.8	20	11.2			96
100	42.6	34.1	25.7	17.2	8.8			100
104	39	30.9	22.8	14.7	6.5			104
108	35.7	27.9	20.1	12.3				108
112	32.6	25.1	17.6	10.1				112
116	29.7	22.5	15.2	8				116
120	27	20	13	6				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift radius 17m Wind power jib : 7m								
Boom length	141m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	156	156	156	156	156	156	128	22
24	156	156	156	156	156	150	115	24
26	156	156	156	156	156	137	105	26
28	156	156	156	156	156	126	94.2	28
30	156	156	156	156	144	115	84.9	30
32	156	156	156	156	134	105	76.7	32
34	155	155	155	150	123	96.6	69.5	34
36	153	153	153	140	114	88.7	63.1	36
38	151	151	151	130	106	81.6	57.4	38
40	150	150	143	120	97.9	75.2	52.2	40
44	146	144	124	104	83.4	63	42.6	44
48	142	127	108	90.2	71.6	53.1	34.5	48
52	129	113	95.8	78.8	61.8	44.8	27.8	52
56	116	100	84.8	69.1	53.5	37.8	22.1	56
60	104	89.9	75.4	60.9	46.3	31.8	17.2	60
64	94.4	80.8	67.2	53.7	40.1	26.6	13	64
68	85.5	72.8	60.1	47.4	34.7	22	9.3	68
72	77.7	65.8	53.8	41.8	29.9	17.9	6	72
76	70.8	59.5	48.2	36.9	25.6	14.3		76
80	64.5	53.9	43.2	32.5	21.8	11.1		80
84	58.9	48.8	38.6	28.5	18.3	8.2		84
88	53.8	44.2	34.5	24.9	15.2	5.5		88
92	49.2	40	30.8	21.5	12.3			92
96	45	36.2	27.3	18.5	9.7			96
100	41.1	32.6	24.2	15.7	7.3			100
104	37.5	29.4	21.3	13.2	5.1			104
108	34.2	26.4	18.6	10.8				108
112	31.1	23.6	16.1	8.6				112
116	28.2	21	13.7	6.3				116
120	25.5	18.5	11.5					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Counterweight 17m Wind power jib : 7m								
Boom length	144m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	148	148	148	148	148	148	126	22
24	148	148	148	148	148	148	114	24
26	148	148	148	148	148	136	104	26
28	147	147	147	147	147	125	93.5	28
30	147	147	147	147	143	115	84.3	30
32	147	147	147	147	133	105	76.2	32
34	147	147	147	147	123	96	69	34
36	146	146	146	139	113	88.1	62.6	36
38	146	146	146	129	105	81.1	56.9	38
40	146	146	143	120	97.7	74.7	51.8	40
44	144	144	124	103	83.3	62.9	42.4	44
48	139	127	108	90	71.5	52.9	34.4	48
52	129	112	95.6	78.6	61.6	44.6	27.7	52
56	116	100	84.6	69	53.3	37.6	22	56
60	104	89.8	75.2	60.7	46.1	31.6	17.1	60
64	94.2	80.6	67.1	53.5	39.9	26.4	12.8	64
68	85.4	72.6	59.9	47.2	34.5	21.8	9.1	68
72	77.5	65.6	53.6	41.7	29.7	17.8	5.8	72
76	70.6	59.3	48	36.7	25.4	14.2		76
80	64.4	53.7	43	32.3	21.6	10.9		80
84	58.8	48.6	38.5	28.3	18.2	8		84
88	53.7	44	34.3	24.7	15			88
92	49	39.8	30.6	21.4	12.2			92
96	44.8	36	27.2	18.4	9.5			96
100	40.9	32.5	24	15.6	7.1			100
104	37.3	29.2	21.1	13				104
108	34	26.2	18.4	10.6				108
112	30.9	23.4	15.9	8.4				112
116	28.1	20.8	13.6	6.1				116
120	25.4	18.4	11.3					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	147m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	139	139	139	139	139	139	125	22
24	139	139	139	139	139	139	113	24
26	139	139	139	139	139	135	103	26
28	139	139	139	139	139	123	92.7	28
30	139	139	139	139	139	114	83.5	30
32	138	138	138	138	132	104	75.4	32
34	138	138	138	138	122	95.2	68.3	34
36	138	138	138	138	113	87.3	61.9	36
38	138	138	138	128	104	80.3	56.2	38
40	137	137	137	120	96.9	74	51.1	40
44	136	136	123	103	82.9	62.5	42	44
48	135	126	108	89.6	71.1	52.5	34	48
52	129	112	95.2	78.2	61.2	44.2	27.2	52
56	115	99.9	84.2	68.5	52.9	37.2	21.5	56
60	104	89.3	74.8	60.2	45.7	31.2	16.6	60
64	93.8	80.2	66.6	53.1	39.5	25.9	12.4	64
68	84.9	72.2	59.5	46.8	34.1	21.4	8.7	68
72	77.1	65.1	53.2	41.2	29.3	17.3	5.4	72
76	70.1	58.9	47.6	36.3	25	13.7		76
80	63.9	53.2	42.5	31.8	21.2	10.5		80
84	58.3	48.2	38	27.8	17.7	7.5		84
88	53.2	43.6	33.9	24.2	14.6			88
92	48.6	39.4	30.1	20.9	11.7			92
96	44.4	35.5	26.7	17.9	9.1			96
100	40.5	32	23.6	15.1	6.7			100
104	36.9	28.8	20.7	12.5				104
108	33.6	25.8	18	10.2				108
112	30.5	23	15.5	7.8				112
116	27.6	20.4	13.1	5.5				116
120	24.9	17.9	10.7					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	150m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	130	130	130	130	130	130	124	22
24	130	130	130	130	130	130	112	24
26	130	130	130	130	130	130	101	26
28	130	130	130	130	130	122	91.5	28
30	130	130	130	130	130	112	82.3	30
32	129	129	129	129	129	102	74.2	32
34	129	129	129	129	121	94	67.1	34
36	129	129	129	129	111	86.2	60.8	36
38	128	128	128	127	103	79.2	55.1	38
40	128	128	128	118	95.7	72.8	50	40
44	127	127	123	102	82	61.6	41.1	44
48	126	126	107	88.7	70.1	51.6	33	48
52	124	111	94.2	77.3	60.3	43.3	26.3	52
56	114	98.9	83.2	67.6	51.9	36.2	20.6	56
60	103	88.4	73.8	59.3	44.7	30.2	15.7	60
64	92.8	79.2	65.7	52.1	38.5	25	11.4	64
68	83.9	71.2	58.5	45.8	33.1	20.4	7.7	68
72	76.1	64.2	52.2	40.2	28.3	16.3		72
76	69.2	57.9	46.6	35.3	24	12.7		76
80	62.9	52.2	41.5	30.9	20.2	9.5		80
84	57.3	47.2	37	26.9	16.7	6.6		84
88	52.2	42.6	32.9	23.2	13.6			88
92	47.6	38.4	29.1	19.9	10.7			92
96	43.4	34.5	25.7	16.9	8.1			96
100	39.5	31	22.6	14.1	5.6			100
104	35.9	27.8	19.7	11.5				104
108	32.6	24.8	17	9				108
112	29.5	22	14.5	6.5				112
116	26.6	19.4	11.9					116
120	23.9	16.9	9.5					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	153m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	122	122	122	122	122	122	122	22
24	122	122	122	122	122	122	111	24
26	122	122	122	122	122	122	100	26
28	122	122	122	122	122	121	90.7	28
30	121	121	121	121	121	111	81.5	30
32	121	121	121	121	121	102	73.5	32
34	121	121	121	121	120	93.2	66.4	34
36	121	121	121	121	110	85.4	60.1	36
38	120	120	120	120	102	78.4	54.4	38
40	120	120	120	117	94.9	72.1	49.3	40
44	119	119	119	102	81.6	61.2	40.5	44
48	118	118	107	88.3	69.7	51.2	32.6	48
52	117	111	93.8	76.8	59.8	42.9	25.9	52
56	114	98.5	82.8	67.1	51.5	35.8	20.1	56
60	102	87.9	73.4	58.8	44.3	29.8	15.2	60
64	92.3	78.8	65.2	51.7	38.1	24.5	11	64
68	83.5	70.8	58.1	45.4	32.6	19.9	7.2	68
72	75.7	63.7	51.7	39.8	27.8	15.9		72
76	68.7	57.4	46.1	34.8	23.6	12.3		76
80	62.5	51.8	41.1	30.4	19.7	9		80
84	56.9	46.7	36.6	26.4	16.2	6.1		84
88	51.8	42.1	32.4	22.8	13.1			88
92	47.1	37.9	28.7	19.5	10.2			92
96	42.9	34.1	25.3	16.4	7.6			96
100	39	30.6	22.1	13.7	5			100
104	35.4	27.3	19.2	11.1				104
108	32.1	24.3	16.5	8.4				108
112	29	21.5	13.9	5.9				112
116	26.2	18.9	11.3					116
120	23.5	16.3	8.8					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 17m Wind power jib: 7m								
Boom length	156m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
24	115	115	115	115	115	115	110	24
26	114	114	114	114	114	114	100	26
28	114	114	114	114	114	114	90.2	28
30	114	114	114	114	114	110	81.1	30
32	114	114	114	114	114	101	73.1	32
34	114	114	114	114	114	92.8	66.1	34
36	113	113	113	113	110	85	59.8	36
38	113	113	113	113	102	78.1	54.2	38
40	112	112	112	112	94.6	71.9	49.1	40
44	111	111	111	102	81.7	61	40.3	44
48	110	110	107	88.4	69.8	51.3	32.7	48
52	109	109	93.9	76.9	59.9	42.9	26	52
56	108	98.6	82.9	67.2	51.6	35.9	20.2	56
60	102	88	73.5	58.9	44.4	29.9	15.3	60
64	92.4	78.9	65.3	51.7	38.2	24.6	11.1	64
68	83.6	70.9	58.1	45.4	32.7	20	7.3	68
72	75.7	63.8	51.8	39.9	27.9	16		72
76	68.8	57.5	46.2	34.9	23.6	12.3		76
80	62.6	51.9	41.2	30.5	19.8	9.1		80
84	56.9	46.8	36.6	26.5	16.3	6.2		84
88	51.9	42.2	32.5	22.9	13.2			88
92	47.2	38	28.8	19.6	10.3			92
96	43	34.2	25.3	16.5	7.7			96
100	39.1	30.7	22.2	13.7	5			100
104	35.5	27.4	19.3	11.1				104
108	32.2	24.4	16.6	8.4				108
112	29.1	21.6	14	5.9				112
116	26.3	19	11.4					116
120	23.6	16.4	8.9					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius17m Wind power jib: 7m								
Boom length	159m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
24	110	110	110	110	110	110	109	24
26	109	109	109	109	109	109	98.8	26
28	108	108	108	108	108	108	89.4	28
30	107	107	107	107	107	107	80.3	30
32	107	107	107	107	107	100	72.4	32
34	107	107	107	107	107	92	65.4	34
36	106	106	106	106	106	84.3	59.1	36
38	106	106	106	106	101	77.4	53.5	38
40	106	106	106	106	93.8	71.1	48.4	40
44	104	104	104	101	81	60.3	39.7	44
48	103	103	103	87.9	69.4	50.8	32.3	48
52	102	102	93.5	76.5	59.5	42.5	25.5	52
56	100	98.1	82.5	66.8	51.1	35.5	19.8	56
60	96.3	87.6	73	58.5	44	29.4	14.9	60
64	92	78.4	64.9	51.3	37.7	24.2	10.6	64
68	83.1	70.4	57.7	45	32.3	19.6	6.9	68
72	75.3	63.3	51.4	39.4	27.5	15.5		72
76	68.3	57	45.8	34.5	23.2	11.9		76
80	62.1	51.4	40.7	30	19.3	8.7		80
84	56.5	46.3	36.2	26	15.9	5.7		84
88	51.4	41.7	32.1	22.4	12.7			88
92	46.8	37.5	28.3	19.1	9.9			92
96	42.5	33.7	24.9	16.1	7.1			96
100	38.6	30.2	21.7	13.3				100
104	35.1	26.9	18.8	10.5				104
108	31.7	23.9	16.1	7.8				108
112	28.7	21.2	13.3	5.3				112
116	25.8	18.5	10.7					116
120	23.1	15.8	8.3					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	108m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	172	19
20	180	180	180	180	180	180	163	20
22	180	180	180	180	180	180	147	22
24	180	180	180	180	180	176	132	24
26	179	179	179	179	179	160	118	26
28	176	176	176	176	176	145	107	28
30	174	174	174	174	169	133	97	30
32	171	171	171	171	155	121	87.9	32
34	169	169	169	169	142	110	79.5	34
36	166	166	166	159	130	101	72.1	36
38	164	164	164	148	120	93	65.6	38
40	162	162	162	137	111	85.7	59.8	40
44	157	157	143	120	96.5	73.2	49.9	44
48	154	147	126	105	84.2	63	41.9	48
52	150	132	112	93.3	73.9	54.5	35.2	52
56	136	119	101	83	65.2	47.3	29.5	56
60	127	107	90.9	74.3	57.7	41.2	24.6	60
64	116	97.6	82.2	66.7	51.2	35.8	20.3	64
68	106	89	74.5	60	45.6	31.1	16.6	68
72	97.6	81.4	67.8	54.2	40.5	26.9	13.3	72
76	90.1	74.6	61.8	48.9	36.1	23.2	10.3	76
80	83.4	68.6	56.4	44.2	32	19.8	7.7	80
84	77.4	63.1	51.5	40	28.4	16.8	5.3	84
88	71.9	58.1	47.1	36.1	25.1	14.1		88
92	66.9	53.6	43.1	32.6	22.1	11.6		92
96	62.3	49.5	39.4	29.4	19.3	9.2		96
100	56.7	45.6	36	26.4	16.7	7.1		100

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	111m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	170	19
20	180	180	180	180	180	180	161	20
22	180	180	180	180	180	180	145	22
24	180	180	180	180	180	174	131	24
26	180	180	180	180	180	159	117	26
28	177	177	177	177	177	145	106	28
30	174	174	174	174	168	132	96.3	30
32	172	172	172	172	154	121	87.6	32
34	169	169	169	169	141	110	79.2	34
36	167	167	167	159	130	101	71.8	36
38	164	164	164	147	120	92.7	65.3	38
40	162	162	162	137	111	85.4	59.5	40
44	158	158	143	119	96.2	72.9	49.6	44
48	154	147	126	105	83.9	62.7	41.6	48
52	151	131	112	92.9	73.6	54.2	34.9	52
56	136	118	100	82.7	64.9	47	29.1	56
60	126	107	90.5	74	57.4	40.8	24.2	60
64	115	97.3	81.8	66.4	50.9	35.4	20	64
68	106	88.7	74.2	59.7	45.2	30.7	16.3	68
72	97.3	81.1	67.4	53.8	40.2	26.6	12.9	72
76	89.8	74.3	61.4	48.6	35.7	22.8	10	76
80	83.1	68.2	56.1	43.9	31.7	19.5	7.3	80
84	77.1	62.8	51.2	39.6	28.1	16.5		84
88	71.6	57.8	46.8	35.8	24.8	13.7		88
92	66.6	53.3	42.8	32.3	21.7	11.2		92
96	62	49.1	39.1	29	19	8.9		96
100	57.2	45.3	35.7	26	16.4	6.8		100
104	51.8	41.8	32.5	23.3	14			104

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	114m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	168	19
20	180	180	180	180	180	180	159	20
22	180	180	180	180	180	180	143	22
24	180	180	180	180	180	172	130	24
26	180	180	180	180	180	158	116	26
28	178	178	178	178	178	143	105	28
30	175	175	175	175	167	131	95.1	30
32	173	173	173	173	153	120	86.5	32
34	170	170	170	170	140	109	78.4	34
36	168	168	168	158	129	100	71	36
38	165	165	165	147	119	91.9	64.4	38
40	163	163	162	136	110	84.5	58.6	40
44	159	159	142	118	95.3	72	48.7	44
48	155	146	125	104	82.9	61.8	40.7	48
52	150	130	111	92	72.6	53.3	33.9	52
56	135	117	99.6	81.8	63.9	46.1	28.2	56
60	125	106	89.6	73	56.4	39.9	23.3	60
64	114	96.3	80.9	65.4	49.9	34.5	19	64
68	105	87.7	73.2	58.7	44.3	29.8	15.3	68
72	96.5	80.1	66.5	52.8	39.2	25.6	12	72
76	89	73.3	60.5	47.6	34.7	21.9	9	76
80	82.2	67.3	55.1	42.9	30.7	18.5	6.3	80
84	76.2	61.8	50.2	38.6	27.1	15.5		84
88	70.7	56.8	45.8	34.8	23.8	12.8		88
92	65.7	52.3	41.8	31.3	20.8	10.2		92
96	61.1	48.1	38.1	28	18	7.9		96
100	56.8	44.3	34.7	25.1	15.4	5.8		100
104	51.5	40.8	31.5	22.3	13.1			104

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	117m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	166	19
20	180	180	180	180	180	180	158	20
22	180	180	180	180	180	180	142	22
24	180	180	180	180	180	171	129	24
26	180	180	180	180	180	156	115	26
28	179	179	179	179	179	142	104	28
30	176	176	176	176	166	130	94.4	30
32	173	173	173	173	153	119	85.8	32
34	171	171	171	171	140	109	78.1	34
36	169	169	169	158	129	99.9	70.7	36
38	166	166	166	146	119	91.6	64.2	38
40	164	164	162	136	110	84.2	58.3	40
44	160	160	141	118	95	71.7	48.4	44
48	156	146	125	104	82.6	61.5	40.3	48
52	150	130	111	91.7	72.3	53	33.6	52
56	135	117	99.3	81.4	63.6	45.7	27.9	56
60	125	106	89.2	72.7	56.1	39.5	23	60
64	114	96	80.5	65.1	49.6	34.1	18.7	64
68	105	87.4	72.9	58.4	43.9	29.4	14.9	68
72	96.1	79.7	66.1	52.5	38.9	25.2	11.6	72
76	88.6	73	60.1	47.2	34.4	21.5	8.7	76
80	81.9	66.9	54.7	42.5	30.4	18.2	6	80
84	75.9	61.4	49.9	38.3	26.7	15.1		84
88	70.4	56.5	45.4	34.4	23.4	12.4		88
92	65.4	51.9	41.4	30.9	20.4	9.9		92
96	60.8	47.8	37.7	27.7	17.6	7.6		96
100	56.6	44	34.3	24.7	15.1	5.5		100
104	51.9	40.5	31.2	22	12.7			104
108	46.9	37.2	28.3	19.4	10.5			108

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	120m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	165	19
20	180	180	180	180	180	180	156	20
22	180	180	180	180	180	180	141	22
24	180	180	180	180	180	169	128	24
26	180	180	180	180	180	155	115	26
28	179	179	179	179	179	142	103	28
30	176	176	176	176	165	129	93.9	30
32	174	174	174	174	152	119	85.3	32
34	171	171	171	171	140	109	77.8	34
36	169	169	169	158	129	99.9	70.7	36
38	167	167	167	146	119	91.6	64.1	38
40	165	165	162	136	110	84.2	58.3	40
44	161	161	141	118	94.9	71.7	48.4	44
48	157	146	125	103	82.6	61.4	40.3	48
52	149	130	111	91.6	72.2	52.9	33.5	52
56	135	117	99.2	81.4	63.5	45.7	27.8	56
60	125	105	89.2	72.6	56	39.4	22.9	60
64	114	95.9	80.4	65	49.5	34.1	18.6	64
68	105	87.3	72.8	58.3	43.8	29.3	14.9	68
72	96.1	79.7	66	52.4	38.8	25.2	11.5	72
76	88.6	72.9	60	47.2	34.3	21.4	8.6	76
80	81.9	66.8	54.6	42.5	30.3	18.1	5.9	80
84	75.8	61.3	49.8	38.2	26.6	15.1		84
88	70.3	56.4	45.4	34.4	23.3	12.3		88
92	65.3	51.9	41.4	30.8	20.3	9.8		92
96	60.7	47.7	37.7	27.6	17.6	7.5		96
100	56.5	43.9	34.3	24.6	15	5.4		100
104	52.2	40.4	31.1	21.9	12.7			104
108	47.6	37.1	28.2	19.4	10.5			108
112	42.9	34.1	25.5	17	8.4			112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	123m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	164	20
20	180	180	180	180	180	180	155	
22	180	180	180	180	180	180	139	22
24	180	180	180	180	180	168	126	24
26	180	180	180	180	180	154	114	26
28	180	180	180	180	178	141	103	28
30	177	177	177	177	164	128	93.1	30
32	175	175	175	175	151	118	84.6	32
34	172	172	172	171	140	108	77.1	34
36	170	170	170	158	128	99.5	70.3	36
38	168	168	168	146	118	91.2	63.8	38
40	166	166	161	135	109	83.8	57.9	40
44	162	162	141	118	94.6	71.3	48	44
48	158	145	124	103	82.2	61	39.9	48
52	149	130	110	91.2	71.8	52.5	33.1	52
56	134	116	98.8	81	63.1	45.2	27.4	56
60	125	105	88.7	72.2	55.6	39	22.5	60
64	114	95.5	80	64.6	49.1	33.6	18.2	64
68	104	86.9	72.4	57.9	43.4	28.9	14.4	68
72	95.7	79.2	65.6	52	38.4	24.7	11.1	72
76	88.2	72.5	59.6	46.7	33.9	21	8.1	76
80	81.5	66.4	54.2	42	29.8	17.7	5.5	80
84	75.4	60.9	49.4	37.8	26.2	14.6		84
88	69.9	56	44.9	33.9	22.9	11.9		88
92	64.9	51.4	40.9	30.4	19.9	9.4		92
96	60.3	47.3	37.2	27.2	17.1	7.1		96
100	56.1	43.5	33.9	24.2	14.6			100
104	52.2	40	30.7	21.5	12.2			104
108	47.8	36.7	27.8	18.9	10.1			108
112	43.1	33.7	25.1	16.6	8			112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	126m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	161	20
20	180	180	180	180	180	180	153	
22	180	180	180	180	180	180	138	22
24	180	180	180	180	180	166	125	24
26	180	180	180	180	180	152	113	26
28	180	180	180	180	176	139	101	28
30	178	178	178	178	163	127	91.9	30
32	175	175	175	175	150	116	83.4	32
34	173	173	173	169	138	107	76	34
36	171	171	171	157	128	98.6	69.3	36
38	168	168	168	145	118	90.3	62.9	38
40	166	166	160	134	109	82.9	57	40
44	162	162	140	117	93.6	70.4	47.1	44
48	159	144	123	102	81.2	60.1	39	48
52	148	129	109	90.3	70.9	51.5	32.2	52
56	133	115	97.9	80	62.1	44.3	26.4	56
60	123	104	87.8	71.2	54.6	38.1	21.5	60
64	113	94.5	79	63.6	48.1	32.7	17.2	64
68	103	85.9	71.4	56.9	42.4	27.9	13.4	68
72	94.8	78.2	64.6	51	37.4	23.7	10.1	72
76	87.3	71.5	58.6	45.7	32.9	20	7.1	76
80	80.6	65.4	53.2	41	28.8	16.7		80
84	74.5	59.9	48.3	36.8	25.2	13.6		84
88	69	54.9	43.9	32.9	21.9	10.9		88
92	64	50.4	39.9	29.4	18.9	8.4		92
96	59.3	46.3	36.2	26.2	16.1	6.1		96
100	55	42.5	32.8	23.2	13.6			100
104	50.9	39	29.7	20.5	11.2			104
108	46.7	35.7	26.8	17.9	9			108
112	42.6	32.7	24.1	15.6	7			112

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	129m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
19	180	180	180	180	180	180	160	20
20	180	180	180	180	180	180	151	
22	180	180	180	180	180	180	136	22
24	180	180	180	180	180	164	124	24
26	180	180	180	180	180	151	112	26
28	180	180	180	180	174	138	101	28
30	178	178	178	178	161	126	91.2	30
32	176	176	176	176	149	116	82.8	32
34	174	174	174	169	137	106	75.3	34
36	171	171	171	156	127	98.1	68.7	36
38	169	169	169	145	117	90	62.6	38
40	167	167	160	134	108	82.6	56.7	40
44	163	163	140	116	93.3	70.1	46.8	44
48	160	144	123	102	80.9	59.8	38.6	48
52	148	128	109	89.9	70.6	51.2	31.8	52
56	133	115	97.5	79.7	61.8	43.9	26.1	56
60	122	104	87.4	70.9	54.3	37.7	21.1	60
64	112	94.1	78.7	63.2	47.8	32.3	16.9	64
68	103	85.5	71	56.5	42.1	27.6	13.1	68
72	94.2	77.9	64.3	50.6	37	23.4	9.8	72
76	86.8	71.1	58.2	45.4	32.5	19.6	6.8	76
80	80.1	65	52.8	40.7	28.5	16.3		80
84	74	59.6	48	36.4	24.8	13.3		84
88	68.4	54.6	43.6	32.6	21.5	10.5		88
92	63.3	50.1	39.6	29	18.5	8		92
96	58.6	45.9	35.9	25.8	15.8	5.7		96
100	54.3	42.1	32.5	22.9	13.2			100
104	50.1	38.6	29.4	20.1	10.9			104
108	46.6	35.4	26.5	17.6	8.7			108
112	42.8	32.3	23.8	15.2	6.7			112
116	38.5	29.5	21.2	13				116
120	34.4	26.8	18.9	10.9				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	132m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
20	173	173	173	173	173	173	150	20
22	173	173	173	173	173	173	135	22
24	173	173	173	173	173	163	122	24
26	173	173	173	173	173	149	111	26
28	173	173	173	173	173	137	100	28
30	173	173	173	173	160	126	90.6	30
32	173	173	173	173	148	115	82.2	32
34	173	173	173	168	137	106	74.8	34
36	172	172	172	156	127	97.6	68.2	36
38	170	170	170	145	117	89.9	62.4	38
40	167	167	160	134	108	82.5	56.6	40
44	164	163	140	116	93.2	69.9	46.6	44
48	160	144	123	102	80.8	59.6	38.5	48
52	148	128	109	89.8	70.4	51	31.7	52
56	133	115	97.4	79.5	61.6	43.8	25.9	56
60	122	104	87.3	70.7	54.1	37.6	21	60
64	111	94	78.5	63.1	47.6	32.2	16.7	64
68	102	85.3	70.9	56.4	41.9	27.4	12.9	68
72	93.7	77.7	64.1	50.5	36.8	23.2	9.6	72
76	86.3	70.9	58.1	45.2	32.4	19.5	6.6	76
80	79.6	64.9	52.7	40.5	28.3	16.1	4	80
84	73.5	59.4	47.8	36.3	24.7	13.1		84
88	68	54.4	43.4	32.4	21.4	10.4		88
92	62.9	49.9	39.4	28.9	18.4	7.9		92
96	58.2	45.8	35.7	25.7	15.6	5.6		96
100	53.9	42	32.3	22.7	13.1			100
104	49.9	38.5	29.2	20	10.7			104
108	46.2	35.2	26.3	17.4	8.5			108
112	42.7	32.2	23.6	15.1	6.5			112
116	39	29.4	21.1	12.9				116
120	34.9	26.7	18.8	10.8				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	135m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
20	162	162	162	162	162	162	149	20
22	162	162	162	162	162	162	134	22
24	162	162	162	162	162	162	121	24
26	162	162	162	162	162	148	110	26
28	162	162	162	162	162	136	99.4	28
30	162	162	162	162	159	125	89.8	30
32	162	162	162	162	147	114	81.5	32
34	162	162	162	162	136	105	74.1	34
36	162	162	162	155	126	96.8	67.6	36
38	162	162	162	144	117	89.4	61.7	38
40	162	162	160	134	108	82.1	56.2	40
44	161	161	139	116	92.8	69.5	46.3	44
48	160	144	122	101	80.4	59.2	38.1	48
52	147	128	108	89.4	70	50.6	31.3	52
56	132	115	96.9	79.1	61.2	43.4	25.5	56
60	121	103	86.9	70.3	53.7	37.1	20.6	60
64	110	93.6	78.1	62.6	47.2	31.7	16.3	64
68	101	84.9	70.4	56	41.5	27	12.5	68
72	92.8	77.3	63.7	50	36.4	22.8	9.2	72
76	85.4	70.5	57.6	44.8	31.9	19.1	6.2	76
80	78.8	64.4	52.2	40.1	27.9	15.7		80
84	72.7	59	47.4	35.8	24.2	12.7		84
88	67.2	54	43	32	20.9	9.9		88
92	62.1	49.5	39	28.4	17.9	7.4		92
96	57.5	45.3	35.3	25.2	15.2			96
100	53.2	41.5	31.9	22.3	12.6			100
104	49.2	38	28.8	19.5	10.3			104
108	45.5	34.8	25.9	17	8.1			108
112	42	31.8	23.2	14.6	6.1			112
116	38.8	28.9	20.7	12.4				116
120	35	26.3	18.3	10.4				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	138m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	157	157	157	157	157	157	132	22
24	157	157	157	157	157	157	120	24
26	158	158	158	158	158	146	109	26
28	158	158	158	158	158	134	98.1	28
30	158	158	158	158	157	123	88.6	30
32	157	157	157	157	146	113	80.3	32
34	155	155	155	155	135	104	72.9	34
36	153	153	153	153	125	95.6	66.4	36
38	151	151	151	143	116	88.2	60.5	38
40	149	149	149	133	107	81.2	55.3	40
44	146	146	138	115	91.9	68.6	45.3	44
48	143	143	121	100	79.4	58.3	37.1	48
52	140	127	107	88.4	69	49.7	30.3	52
56	131	114	96	78.1	60.2	42.4	24.5	56
60	119	102	85.8	69.3	52.7	36.1	19.6	60
64	109	92.5	77.1	61.6	46.2	30.7	15.3	64
68	99.4	83.9	69.4	54.9	40.4	26	11.5	68
72	91.2	76.3	62.6	49	35.4	21.8	8.1	72
76	83.9	69.5	56.6	43.7	30.9	18	5.2	76
80	77.2	63.4	51.2	39	26.8	14.7		80
84	71.2	57.9	46.3	34.8	23.2	11.6		84
88	65.7	52.9	41.9	30.9	19.9	8.9		88
92	60.6	48.4	37.9	27.4	16.9	6.4		92
96	56	44.3	34.2	24.2	14.1			96
100	51.7	40.5	30.8	21.2	11.6			100
104	47.7	37	27.7	18.5	9.2			104
108	44	33.7	24.8	15.9	7.1			108
112	40.6	30.7	22.1	13.6	5			112
116	37.3	27.9	19.6	11.4				116
120	34.3	25.3	17.3	9.3				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	141m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	156	156	156	156	156	156	130	22
24	156	156	156	156	156	156	118	24
26	156	156	156	156	156	144	107	26
28	156	156	156	156	156	133	96.6	28
30	156	156	156	156	155	122	87.1	30
32	156	156	156	156	144	111	78.8	32
34	155	155	155	155	133	102	71.4	34
36	153	153	153	152	123	94	64.9	36
38	151	151	151	142	114	86.6	59	38
40	150	150	150	131	106	79.9	53.8	40
44	146	146	137	114	90.5	67.3	44	44
48	142	141	120	99.2	78	56.9	35.8	48
52	137	125	106	87	67.6	48.3	28.9	52
56	128	112	94.6	76.7	58.8	41	23.1	56
60	117	101	84.4	67.9	51.3	34.7	18.1	60
64	106	91.1	75.7	60.2	44.7	29.3	13.8	64
68	97.2	82.5	68	53.5	39	24.5	10	68
72	89.1	74.8	61.2	47.6	33.9	20.3	6.7	72
76	81.8	68	55.2	42.3	29.4	16.6		76
80	75.2	61.9	49.7	37.6	25.4	13.2		80
84	69.1	56.4	44.9	33.3	21.7	10.2		84
88	63.6	51.5	40.5	29.4	18.4	7.4		88
92	58.6	46.9	36.4	25.9	15.4			92
96	54	42.8	32.7	22.7	12.6			96
100	49.7	39	29.4	19.7	10.1			100
104	45.7	35.5	26.2	17	7.7			104
108	42	32.2	23.3	14.5	5.6			108
112	38.6	29.2	20.7	12.1				112
116	35.3	26.4	18.1	9.9				116
120	32.3	23.8	15.8	7.8				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	144m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	148	148	148	148	148	148	129	22
24	148	148	148	148	148	148	117	24
26	148	148	148	148	148	143	106	26
28	147	147	147	147	147	132	95.9	28
30	147	147	147	147	147	121	86.5	30
32	147	147	147	147	143	111	78.2	32
34	147	147	147	147	132	101	70.9	34
36	146	146	146	146	122	93.5	64.4	36
38	146	146	146	141	113	86.1	58.6	38
40	146	146	146	131	105	79.5	53.4	40
44	144	144	137	113	90.4	67.1	43.8	44
48	139	139	120	99	77.9	56.8	35.6	48
52	133	125	106	86.8	67.5	48.1	28.8	52
56	128	112	94.4	76.5	58.7	40.8	23	56
60	116	101	84.3	67.7	51.1	34.6	18	60
64	106	91	75.5	60	44.6	29.1	13.7	64
68	96.8	82.3	67.8	53.3	38.8	24.4	9.9	68
72	88.6	74.7	61	47.4	33.8	20.1	6.5	72
76	81.3	67.9	55	42.1	29.3	16.4		76
80	74.7	61.8	49.6	37.4	25.2	13		80
84	68.7	56.3	44.7	33.1	21.6	10		84
88	63.2	51.3	40.3	29.3	18.3	7.2		88
92	58.2	46.8	36.3	25.8	15.2			92
96	53.5	42.6	32.6	22.5	12.5			96
100	49.3	38.8	29.2	19.6	9.9			100
104	45.3	35.3	26.1	16.8	7.6			104
108	41.6	32.1	23.2	14.3	5.4			108
112	38.2	29.1	20.5	11.9				112
116	35	26.2	18	9.7				116
120	32	23.6	15.7	7.7				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	147m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	139	139	139	139	139	139	128	22
24	139	139	139	139	139	139	116	24
26	139	139	139	139	139	139	105	26
28	139	139	139	139	139	130	95.1	28
30	139	139	139	139	139	120	85.7	30
32	138	138	138	138	138	110	77.5	32
34	138	138	138	138	131	101	70.2	34
36	138	138	138	138	121	92.7	63.7	36
38	138	138	138	138	113	85.4	57.9	38
40	137	137	137	131	105	78.8	52.7	40
44	136	136	136	113	90	66.7	43.4	44
48	135	135	120	98.6	77.5	56.4	35.2	48
52	129	125	106	86.4	67.1	47.7	28.4	52
56	124	112	94	76.1	58.3	40.4	22.5	56
60	115	100	83.8	67.3	50.7	34.1	17.6	60
64	105	90.5	75.1	59.6	44.1	28.7	13.2	64
68	96.3	81.9	67.4	52.9	38.4	23.9	9.4	68
72	87.8	74.2	60.6	47	33.3	19.7	6.1	72
76	80.4	67.4	54.5	41.7	28.8	16		76
80	73.8	61.3	49.1	37	24.8	12.6		80
84	67.9	55.8	44.3	32.7	21.1	9.5		84
88	62.4	50.9	39.8	28.8	17.8	6.8		88
92	57.4	46.3	35.8	25.3	14.8			92
96	52.8	42.2	32.1	22.1	12			96
100	48.5	38.4	28.7	19.1	9.5			100
104	44.6	34.9	25.6	16.4	7.1			104
108	40.9	31.6	22.7	13.8				108
112	37.5	28.6	20.1	11.5				112
116	34.3	25.8	17.5	9.3				116
120	31.3	23.2	15.2	7.2				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	150m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	130	130	130	130	130	130	127	22
24	130	130	130	130	130	130	114	24
26	130	130	130	130	130	130	104	26
28	130	130	130	130	130	129	93.9	28
30	130	130	130	130	130	118	84.5	30
32	129	129	129	129	129	109	76.3	32
34	129	129	129	129	129	99.7	69.1	34
36	129	129	129	129	120	91.5	62.6	36
38	128	128	128	128	111	84.2	56.8	38
40	128	128	128	128	103	77.7	51.6	40
44	127	127	127	112	89.1	65.8	42.6	44
48	126	126	119	97.7	76.6	55.4	34.3	48
52	124	124	105	85.5	66.2	46.8	27.4	52
56	120	111	93	75.2	57.3	39.5	21.6	56
60	113	99.5	82.9	66.3	49.8	33.2	16.6	60
64	103	89.6	74.1	58.6	43.2	27.7	12.3	64
68	95.4	80.9	66.4	51.9	37.4	23	8.5	68
72	86.9	73.2	59.6	46	32.4	18.7	5.1	72
76	79.3	66.4	53.6	40.7	27.8	15		76
80	72.5	60.3	48.2	36	23.8	11.6		80
84	66.4	54.8	43.3	31.7	20.1	8.6		84
88	60.9	49.9	38.8	27.8	16.8	5.8		88
92	55.8	45.3	34.8	24.3	13.8			92
96	51.2	41.2	31.1	21.1	11			96
100	47	37.4	27.8	18.1	8.5			100
104	43.1	33.9	24.6	15.4	6.1			104
108	39.5	30.6	21.7	12.8				108
112	36.2	27.6	19.1	10.5				112
116	33.1	24.8	16.6	8.3				116
120	30.1	22.2	14.2	6.1				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	153m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
22	122	122	122	122	122	122	122	22
24	122	122	122	122	122	122	113	24
26	122	122	122	122	122	122	103	26
28	122	122	122	122	122	122	93.1	28
30	121	121	121	121	121	118	83.8	30
32	121	121	121	121	121	108	75.6	32
34	121	121	121	121	121	98.9	68.4	34
36	121	121	121	121	119	90.8	61.9	36
38	120	120	120	120	111	83.5	56.2	38
40	120	120	120	120	103	76.9	50.9	40
44	119	119	119	112	88.7	65.4	41.9	44
48	118	118	118	97.3	76.2	55	33.9	48
52	117	117	104	85.1	65.7	46.4	27	52
56	115	110	92.6	74.8	56.9	39	21.2	56
60	111	99	82.5	65.9	49.3	32.8	16.2	60
64	102	89.1	73.7	58.2	42.8	27.3	11.8	64
68	94.9	80.5	66	51.5	37	22.5	8	68
72	86.4	72.8	59.2	45.5	31.9	18.3		72
76	78.8	66	53.1	40.3	27.4	14.5		76
80	72.1	59.9	47.7	35.5	23.3	11.2		80
84	66	54.4	42.8	31.2	19.7	8.1		84
88	60.4	49.4	38.4	27.4	16.4	5.3		88
92	55.4	44.9	34.4	23.9	13.3			92
96	50.8	40.7	30.7	20.6	10.6			96
100	46.6	36.9	27.3	17.7	8			100
104	42.7	33.4	24.2	14.9	5.7			104
108	39.1	30.2	21.3	12.4				108
112	35.7	27.2	18.6	10				112
116	32.6	24.3	16.1	7.8				116
120	29.7	21.7	13.8	5.5				120

说明：以上是超起加强型风电工况起重性能，地面水平度≤5‰

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	156m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
24	115	115	115	115	115	115	113	24
26	114	114	114	114	114	114	102	26
28	114	114	114	114	114	114	92.6	28
30	114	114	114	114	114	114	83.4	30
32	114	114	114	114	114	107	75.3	32
34	114	114	114	114	114	98.5	68.1	34
36	113	113	113	113	113	90.4	61.7	36
38	113	113	113	113	110	83.2	55.9	38
40	112	112	112	112	102	76.7	50.7	40
44	111	111	111	111	88.8	65.4	41.8	44
48	110	110	110	97.4	76.3	55.1	34	48
52	109	109	104	85.2	65.8	46.5	27.1	52
56	108	108	92.7	74.9	57	39.1	21.3	56
60	104	99.1	82.6	66	49.4	32.8	16.3	60
64	100	89.2	73.8	58.3	42.8	27.4	11.9	64
68	93	80.5	66.1	51.6	37.1	22.6	8.1	68
72	85	72.9	59.3	45.6	32	18.4		72
76	77.8	66.1	53.2	40.3	27.5	14.6		76
80	71.3	60	47.8	35.6	23.4	11.2		80
84	65.4	54.5	42.9	31.3	19.8	8.2		84
88	59.9	49.5	38.5	27.5	16.5	5.4		88
92	55	45	34.5	23.9	13.4			92
96	50.4	40.8	30.8	20.7	10.7			96
100	46.2	37	27.4	17.8	8.1			100
104	42.3	33.5	24.3	15	5.8			104
108	38.6	30.3	21.4	12.5				108
112	35.2	27.3	18.7	10.1				112
116	32.1	24.5	16.2	7.9				116
120	29.1	21.8	13.9	5.6				120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .

Rear counterweight 210t Body counterweight: 60t Superlift Radius 20m Wind power jib: 7m								
Boom length	159m							Boom length
Radius m	Superlift Counterweight (t)							Radius m
	300t	250t	200t	150t	100t	50t	0t	
24	110	110	110	110	110	110	110	24
26	109	109	109	109	109	109	101	26
28	108	108	108	108	108	108	91.8	28
30	107	107	107	107	107	107	82.6	30
32	107	107	107	107	107	106	74.5	32
34	107	107	107	107	107	97.7	67.3	34
36	106	106	106	106	106	89.7	61	36
38	106	106	106	106	106	82.5	55.2	38
40	106	106	106	106	102	76	50.1	40
44	104	104	104	104	88.3	64.7	41.1	44
48	103	103	103	97	75.9	54.7	33.6	48
52	102	102	102	84.8	65.4	46.1	26.7	52
56	100	100	92.3	74.4	56.6	38.7	20.9	56
60	96.3	96.3	82.1	65.6	49	32.4	15.8	60
64	92.1	88.8	73.3	57.9	42.4	27	11.5	64
68	88.7	80.1	65.6	51.1	36.7	22.2	7.7	68
72	84.1	72.4	58.8	45.2	31.6	17.9		72
76	76.9	65.6	52.8	39.9	27	14.2		76
80	70.4	59.5	47.3	35.2	23	10.8		80
84	64.5	54	42.5	30.9	19.3	7.8		84
88	59.1	49.1	38	27	16	5		88
92	54.2	44.5	34	23.5	13			92
96	49.6	40.4	30.3	20.3	10.2			96
100	45.4	36.6	26.9	17.3	7.7			100
104	41.5	33.1	23.8	14.6	5.2			104
108	37.9	29.8	20.9	12				108
112	34.5	26.8	18.2	9.7				112
116	31.4	24	15.8	7.3				116
120	28.4	21.4	13.4					120

Note: The above is the lifting performance of superlift Power Boom + Wind Power Jib configuration, the ground level is ≤ 5 .